

EXHIBIT 61

From: [REDACTED] [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D99E8B20216643E999CBE621CB8B5335-[REDACTED],]
Sent: Fri 8/5/2022 10:10:44 AM (UTC-04:00)
To: [REDACTED] [REDACTED]@rcid.org]
Cc: [REDACTED]@rcid.org; [REDACTED]@rcid.org; [REDACTED]@rcid.org; [REDACTED]@rcid.org; [REDACTED]@rcid.org; [REDACTED]@rcid.org;
Subject: Re: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

I'm on it and talked to [REDACTED]. Just need to know what position you would like it at Admin

[REDACTED]

www.rcid.org

On Aug 5, 2022, at 10:08 AM, [REDACTED] <[REDACTED]@rcid.org> wrote:

Hello [REDACTED]
Yes, 3 keys were previously turned over to [REDACTED]. Once we are finished with punch items and formally closed out, we will turn over our key to you as well.

Thank you,
[REDACTED]

Sent from my iPhone

On Aug 5, 2022, at 10:04 AM, [REDACTED] <[REDACTED]@rcid.org> wrote:

Thank you [REDACTED]
So we will have the ability to have a master to go in the Traka at Admin, Fleet, & Parking Ops?

Thank you,
[REDACTED]

<[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>

**Subject: RE: RCID Approval for Key Cores and Keys for -
Flamingo Crossing Pedestrian Bridges**

Team,

Quick scheduling update for the Flamingo Crossings
Pedestrian Bridge project lock core/key replacement effort.
WDW Key Control is scheduling the final core swap for the
middle of next week (around 7/27). I will have the final keys
on Tuesday (7/26) and reach out to the individuals that need
them separately, to arrange for key pickup/drop off, to
coincide with the completion of this install.

I appreciate everyone's patience and coordination. I'll send
out one final update all keys have been delivered and the
install is completed for operational awareness.

Thank you,

[REDACTED]

www.rcid.org

[<image002.png>](#)

From: [REDACTED]
Sent: Tuesday, June 21, 2022 1:56 PM
To: [REDACTED] <[REDACTED]@rcid.org>; 'Dussia, Michael J.'
<Michael.J.Dussia@disney.com>; frank.ruscio@disney.com
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>

**Subject: RE: RCID Approval for Key Cores and Keys for -
Flamingo Crossing Pedestrian Bridges**

Team,

WDW Key Control will be on site at 5am tomorrow to install hardware/construction cores and turn over 8 temporary construction keys. Lee Richards 205-209-7107 will be the point of contact on site. All keys can be handed to Lee R. or Rob M. in the field tomorrow morning for further distribution.

██████ – Please let us know what time tomorrow afternoon or Thursday (6/23) that RCFD can swap keys for the knox boxes.

██████ – I will reach out to you once we receive final inspection/CO to schedule installation of final cores/keys.

I appreciate everyone's effort in coordinating this installation.

Thank you,



www.rcid.org

[<image002.png>](#)

From: ██████████
Sent: Wednesday, June 15, 2022 9:14 AM
To: ██████████ <██████@rcid.org>; Dussia, Michael J. <Michael.J.Dussia@disney.com>; frank.ruscio@disney.com
Cc: ██████████@rcid.org ; ██████████@rcid.org ; ██████████@rcid.org ; ██████████@rcid.org ; ██████████@rcid.org

Subject: RE: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

██████ - I appreciate it!

██████ – Please proceed with scheduling your team for this work and let us know when they anticipate to be on site. Once cores/hardware are all swapped out, we will let Tanya

know that we will need to swap keys in the knox boxes on our end.

Thank you all!



www.rcid.org

[<image003.png>](#)

From: [REDACTED] <[REDACTED]@rcid.org>
Sent: Wednesday, June 15, 2022 9:07 AM
To: [REDACTED] <[REDACTED]@rcid.org>; Dussia, Michael J. <Michael.J.Dussia@disney.com>; frank.ruscio@disney.com
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>
Subject: RE: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

Hi [REDACTED]
Key Control should be able to use the following cost center to set up a number for tracking to allow them to bill for the cores and hardware for the amount listed below (\$4,052.48). They used this number when processing payment for material when we re-keyed the Administration building about 1.5 years ago.

4515350

Please let me know if there are any questions.

Thank you,



[REDACTED]

www.rcid.org

[<image004.png>](#)

From: [REDACTED] <[REDACTED]@rcid.org>
Sent: Friday, June 10, 2022 2:52 PM
To: Dussia, Michael J. <Michael.J.Dussia@disney.com>;
frank.ruscio@disney.com
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>;
<[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>
Subject: RE: RCID Approval for Key Cores and Keys for -
Flamingo Crossing Pedestrian Bridges

Hello Mike,

We are working on authorizing cost center and will provide shortly. Pending us providing cost center to you, when could you have this work scheduled for next week? I only ask so that we can coordinate switching the keys out in the knox box with the contractor/RCFD. We will need these placed on construction key through final inspection then switch to final key.

Thank you in advance,

[REDACTED]

www.rcid.org

[<image005.png>](#)

From: Dussia, Michael J. <Michael.J.Dussia@disney.com>
Sent: Friday, June 10, 2022 1:50 PM

To: [REDACTED] <[REDACTED]@rcid.org>; frank.ruscio@disney.com
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>
Subject: RE: RCID Approval for Key Cores and Keys for -
Flamingo Crossing Pedestrian Bridges

Ok sounds good
Total \$4052.48 for the hardware. We do have enough in stock to get this installed so we will just need a cost center to replace our stock. Are we are going to put these on a construction key until final inspection or go straight to the final key? And will next week work for the install or is the contractor still needing access.

Mike

WDW KEY CONTROL PWS
407-828-2650
407-765-3122

From: [REDACTED] [mailto:[REDACTED]@rcid.org]
Sent: Friday, June 10, 2022 1:25 PM
To: Dussia, Michael J. <Michael.J.Dussia@disney.com>;
Ruscio, Frank <Frank.Ruscio@disney.com>
Cc: [REDACTED] <[REDACTED]@rcid.org>
<[REDACTED]@rcid.org>; [REDACTED]
<[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>
Subject: RE: RCID Approval for Key Cores and Keys for -
Flamingo Crossing Pedestrian Bridges

Hello Mike,

I have spoken with [REDACTED] and I've added her to the chain to further facilitate installation of cores. Please proceed with ordering the correct cores and installing temp cores- if possible. If you're able to provide your cost to us, Jessie can handle the billing for this install.

Thank you again!

[REDACTED]

[REDACTED]

www.rcid.org

[<image006.png>](#)

From: Dussia, Michael J. <Michael.J.Dussia@disney.com>
Sent: Friday, June 10, 2022 12:08 PM
To: [REDACTED] <[REDACTED]@rcid.org>; frank.ruscio@disney.com
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>
Subject: RE: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

Good morning [REDACTED]
Unfortunately the hardware will not be compatible with anything Disney or RCID use. Also we will not be able to duplicate the key that is currently being used. So I will see if we can find out what we did with the Disney Springs project. I'm thinking that our RCID contact for that project was either [REDACTED] or [REDACTED] that may recall what needed to be done, but I know that [REDACTED] has retired so hopefully [REDACTED] will know. Please let us know how you would like to proceed. We can order the correct hardware and cores for this and I will check if we have enough hardware in stock to front this if needed because I'm sure you will want to have this completed soon to get the TCO and some of the doors don't have the cores in them.

Mike

WDW KEY CONTROL PWS
407-828-2650
407-765-3122

From: [REDACTED] [[mailto:\[REDACTED\]@rcid.org](mailto:[REDACTED]@rcid.org)]
Sent: Friday, June 10, 2022 7:55 AM
To: Dussia, Michael J. <Michael.J.Dussia@disney.com>; Ruscio, Frank <Frank.Ruscio@disney.com>
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>

Subject: RE: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

Hello Mike,

We appreciate your help. The contractor was directed to provide Medeco 6 pin 32 series cores. Please let me know what address you would like us to bring a key to for copies to be made. As far as final keying, we can loop in our facilities team later on in the event that these are not able to be 5AA1 keys.

Thank you,



www.rcid.org

[<image007.png>](#)

From: Dussia, Michael J. <Michael.J.Dussia@disney.com>
Sent: Friday, June 10, 2022 7:46 AM
To: [REDACTED] <[REDACTED]@rcid.org>; frank.ruscio@disney.com
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>
Subject: RE: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

Good morning [REDACTED]

We will need to go on site to survey everything to see if it is compatible with the Disney key system. With the ones at Disney Springs the incorrect hardware was installed and had to be ordered and replaced. Did the contractor provide the Medeco cores or a cost center to charge? Also something that will need to be addressed is the keying. Our new keying is laid out and broken down into regions and that area does not fall under the 5AA1 keying so we will look at what will need to be address on this. Let us first start by checking the current hardware and we will go from there. We can make copies of the current key as well. We will need a copy as well

for when we change out the cores to the final keying. So whenever you can bring it by would be great. Please let us know if you have any questions.

Thank you,

Mike

WDW KEY CONTROL PWS

407-828-2650

407-765-3122

From: [REDACTED] [mailto:[REDACTED]@rcid.org]
Sent: Friday, June 3, 2022 10:34 AM
To: Ruscio, Frank <Frank.Ruscio@disney.com>; Dussia, Michael J. <Michael.J.Dussia@disney.com>
Cc: [REDACTED] <[REDACTED]@rcid.org>; [REDACTED] <[REDACTED]@rcid.org>
Subject: RE: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

Hello Frank and Mike,

As [REDACTED] mentioned, we are wrapping up the construction of two new pedestrian bridges in the Flamingo Crossings area. The first bridge is located at 2251 Western Way and the second bridge is located at 13401 Hartzog Rd. Each bridge will need a (8) 5AA1 cores, for a total of (16) 5AA1 cores.

At this time, we are only in need of our temporary cores to be replaced within the bridge at 13401 Hartzog Rd. We kindly ask that you provide 4 permanent interior door cores (Serial 5AA1) and 4 exterior door cores (Serial 5AA1) and 6 keys for our Faculties team. Additionally, would it be possible for 4 copies to be made of our current temporary key (we can provide it on site) to utilize for knox box and permitting purposes?

We will likely make a second request for our other bridge sometime late next week. Please let me know if you can accommodate this request, or if any additional information is needed.

Thank you in advance!

[REDACTED]

[REDACTED]

www.rcid.org

[<image002.png>](#)

From: [REDACTED] <[REDACTED]@rcid.org>

Sent: Thursday, June 2, 2022 9:09 PM

To: frank.ruscio@disney.com; Dussia, Michael J.

<Michael.J.Dussia@disney.com>

Cc: [REDACTED] <[REDACTED]@rcid.org>

Subject: RCID Approval for Key Cores and Keys for - Flamingo Crossing Pedestrian Bridges

Frank and Mike,

I would like to introduce you to Joe [REDACTED]

[REDACTED] As the RCID construction team moves to change construction locks at the RCID pedestrian bridges at Flamingo crossing [REDACTED] is authorized to work with you to get new regional cores and keys for that location for RCID. [REDACTED] will be reaching out to you for assistance.

[REDACTED] Contact information:

[REDACTED]

Please let me know if you have any questions.

[REDACTED]


www.rcid.org

[<image008.png>](#)

Florida has a very broad public records law. All e-mails to and from Reedy Creek Improvement District are kept as a public record. Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public records request, do not send electronic mail to this entity. Instead, contact this office by phone or in writing.